

J.E: The Killer

A situation analysis of The Victims



APPL


About the survey....

- This survey was conducted on pilot basis
- We have studied 21 cases in two commissionaires of eastern U.P.
- We had tried to reach about 27 cases but unfortunately due to wrong address we could not find 6 cases
- All cases were taken randomly from the list of Govt. officials which was 68 up to last week of September 2008
- This is a questionnaire based survey
- We also documented some testimonies visually
- All the charts were based on our surveyed cases

APPL




The most vulnerable age group is 6 to 10 yr




APPL

Death rate in victims is very high Residue of the disease is about 57%




APPL

Facts says that the status of vaccination is very poor




APPL

Fogging to control vectors has not been done properly



APPL


There is a need to enhance the capacity of “*Swasthya Mitras*” as distance of health institutions is problematic



APPL




33% of the victims are living near stagnant water body



APPL




84% people in surveyed area are drinking first strata water



APPL




People living in *Pucca House* are more vulnerable



APPL


Approximately 60% victims were living near piggery



APPL



In spite of focused initiatives, the Awareness status is very poor



APPL

Some other observations.....

The cropping pattern in mid of 80's has been changed and the new chemical based agricultural practices took place with this shift, the new crops like high yielding variety of paddy, wheat, sugar cane and other cash crops replaced our traditional crops like; *KODO*, *MANDUA*, *TANGUN* and pulses , which were more nutritious

APPL

